

RHC TEXAS LIVING. DELIVERED.

SPECIFICATIONS

Box Size: 16' x 40'
Type: Gable w/ 6' Corner Porch
8' Walls
4 / 12 Pitch

Floor:

Skid: Double
Insulation: R-19
Joists: 2" x 8" x 185" on 16" Center
Decking: 3/4" Plywood w/ 1/4" Hardibacker
Floor Covering: 1/8" Vinyl Tile / 26oz. Carpet
(carpet bedroom and closet only)

Exterior:

Studs: 2" x 4" x 91.5" on 16" Center
Bottom Plate: 2" x 4"
Top Plate: Double 2" x 4"
Sheathing: 7/16" OSB
Insulation: R-13
Siding: 29ga. Painted Steel
Trim: 26ga. Painted Steel

Interior:

Studs: 2" x 4" x 91.5" on 16" Center
Covering: 1/4" Paneling
Closets: (1) Walk-in (1) Pantry
Cabinets: Color
Counter Top: Formica (Terra Roca)

Roof:

Truss: 2" x 4" Engineered on 24" Center
Ceiling: Sea Spray Gypsum Sheetrock
Insulation: R-19
Decking: 7/16" OSB
Roofing: 29ga. Painted Steel
Trim: 26ga. Painted Steel
Anchoring Straps: (5) Over Roof

Doors:

Exterior Door: (1) 36" x 80" MD300 Cottage
Interior Door: (2) 32" x 80" Stain Grade (2) Bi-Fold
Hardware: Brushed Nickel

Windows:

Window: (2) 72" x 66" Insulated
(1) 36" x 66" Insulated
(1) 30" x 30" Insulated

Electrical:

Load Panel: (1) 200 Amp Exterior Box
Wiring: #12 Romex
Lights: (2) Fans (8) Can
Exhaust Fans: (1) 110CFM
Receptacles: (13) 15amp.
GFI Receptacles: (4) Inside (2) Outside
Miscellaneous: (2) Smoke Detector (1) Porch Light

Plumbing:

Bathroom: (1) 3 / 4 Bath
Water Closets: std
Lavatory: Vanity w/ Medicine cabinet
Water Heater: Inline / Water-On-Demand
DWV: All drain lines are stubbed thru floor

HVAC:

A/C - Heating: (1) LG Mini Split (2 port unit) Heat Pump
Wall Unit: Inverter (1) 12,000BTU (1) 9,000BTU

Appliances:















18 cu.ft. Refrigerator Stainless Look
Full Size Range Stainless Look
Microwave w/ vent Stainless Look
Dishwasher Stainless Look

XT-40S Ceranamel™






XT-40S Ceranamel™ exterior Silicone Modified Polyester (SMP) is a custom hybrid topcoat. When combined with DC477 Global Primer, this coating system offers the highest expectations for long term field performance while retaining the best results for color and gloss retention.

XT-40S Ceranamel™ is available in ceramic and "Cool Roof" pigments and is Energy Star and Cool Roof Rating Council compliant. A wide variety of colors are available as well as gloss, low sheen applications. The XT-40S Ceranamel™ system provides the best hardness to flexibility ratio when compared to other competitive systems in the marketplace. The system provides for the ultimate protection against scratching, marring and transit abrasion.

40 - YEAR WARRANTY

Polar White	
Saddle Tan	
Hawaiian Blue	
Ash Gray	
Crimson Red	
Ivy Green	
Desert Sand	
Burnish Slate	
Cocoa Brown	
Charcoal	
Rustic Red	
Lightstone	
Evergreen	
Galvalume	

Check availability on the following colors:

Black	
Copper Penny	
Ivory	
Silver Metallic	
Burgundy	

Colors represented here may be inaccurate due to varying monitor and printer settings. Final color selection can be made from sample chips. All colors are available in 26 and 29 gauge.
Ranch House Concepts • www.ranchhouseconcepts.com